

Package: oldbailey (via r-universe)

August 30, 2024

Title For Accessing the Old Bailey Open Data

Version 1.0.0

Maintainer Steph Buongiorno <steph.buon@gmail.com>

Depends R (>= 3.4.4)

Imports dplyr, httr, jsonlite, stringr, tidyr, rvest

URL <https://github.com/rOpenGov/oldbailey>

BugReports <https://github.com/rOpenGov/oldbailey/issues>

Description Fetch trial data from the Old Bailey Online API
<<https://www.oldbaileyonline.org/static/DocAPI.jsp>>. Data is
returned in an analysis-ready data frame with fields for
metadata including (but not limited to) the names of the first
person speakers, defendants, victims, their recorded genders,
verdicts, punishments, crime locations, and dates. Optional
parameters allow users to specify the number of results,
whether these results contain key terms, and trial dates.

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.2

Repository <https://ropengov.r-universe.dev>

RemoteUrl <https://github.com/rOpenGov/oldbailey>

RemoteRef HEAD

RemoteSha b61640602ae261796bd01f8bd08448eab69f977f

Contents

find_trials	2
old_bailey_api_terms	2
parse_trials	3

Index	4
--------------	----------

find_trials	<i>Find Old Bailey Trials</i>
-------------	-------------------------------

Description

For finding Old Bailey trial data.

Usage

```
find_trials(  
  n_results = "all",  
  cat = NA,  
  term = NA  
)
```

Arguments

n_results	The number of results to return. By default, all results are returned.
cat	Find trials pertaining to a category. (optional).
term	Find trials pertaining to a term. (optional).

Value

Dataframe containing API pull of XML addresses for Old Bailey Trials corresponding with the search criteria.

Examples

```
# Return a dataframe with 5 trials.  
trials <- find_trials(n_results = 5)  
head(trials)  
  
# Return a dataframe with 5 trials on deception.  
trials <- find_trials(n_results = 5, cat = "offcat", term = "deception")  
head(trials)
```

old_bailey_api_terms	<i>View Old Bailey API Terms</i>
----------------------	----------------------------------

Description

For viewing terms and their categories.

Usage

```
old_bailey_api_terms(  
  cat = NULL  
)
```

Arguments

cat	Return terms corresponding to a category of crime. By default, all terms and categories are returned.
-----	---

Value

Dataframe containing API pull of terms and their categories.

Examples

```
# Return a dataframe with the terms corresponding to defendant gender or offensive category.  
terms <- old_bailey_api_terms(cat = c("defgen", "offcat"))  
head(terms)
```

parse_trials	<i>Parse Old Bailey Trials</i>
--------------	--------------------------------

Description

For parsing Old Bailey trial data.

Usage

```
parse_trials(  
  xml_address  
)
```

Arguments

xml_address	One or more XML addresses. A single XML address can be passed as a string, or numerous XML addresses can be passed as a list.
-------------	---

Value

Dataframe containing API pull of parsed Old Bailey Trials.

Examples

```
# Return a dataframe with parsed trial data.  
xml_address <- "https://www.oldbaileyonline.org/obapi/text?div=t17690112-9"  
parsed_trial <- parse_trials(xml_address)  
head(parsed_trial)
```

Index

`find_trials`, [2](#)

`old_bailey_api_terms`, [2](#)

`parse_trials`, [3](#)